



---

# Apparaterollen Apparatus castors



**228a** Lenkrolle / Swivel castor

**316a** Lenkrolle / Swivel castor



<b>228a 00G025z ZPS</b>	25	14	39	18	47x47	6,5	35x35	15	
<b>228a 00G030z ZPS</b>	30	15	42	18	47x47	6,5	35x35	15	
<b>228a 00G035z ZPS</b>	35	18	48	18	47x47	6,5	35x35	25	
<b>228a 00G040z ZPS</b>	40	18	57	23	57x57	6,5	43x43	35	
<b>228a 00G045z ZPS</b>	45	18	60	23	57x57	6,5	43x43	35	
<b>228a 00G050z ZPS</b>	50	19	62	23	57x57	6,5	43x43	45	



<b>316a 00G030z ZLB</b>	30	18	46	15,5		8,2		15	
<b>316a 00G038z ZLC</b>	38	17	59	17,5		10,2		20	

### Technische Beschreibung

- Stahlblechgehäuse
- verzinkt-passiviert
- einreihiger Kugellauf im Gabelkopf

### Radserie 00Gz

- Polypropylen schwarz
- Gleitlager

### Technical description

- metal housing
- single-row ball race in fork head
- zinc passivated

### Wheel series 00Gz

- polypropylene black
- plain bearing

**340a** Lenkrolle / Swivel castor

**340h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

**345a** Bockrolle / Fixed castor



<b>340a 29G050r ZPC-5</b>		50	20	69,5	24	60X60	6,3	43x43	40	•
<b>340a 29G075r ZPC-5</b>		75	25	100	28	60X60	6,3	43x43	60	•
<b>340a 29G100r ZPC-5</b>		100	27	134	37	76x76	8,5	55x55	90	•
<b>340a 29G125r ZPC-5</b>		125	27	157	45	76x76	8,5	55x55	120	•
<b>340h 29G050r ZPC-5</b>		50	20	69,5	24	60X60	6,3	43x43	40	•
<b>340h 29G075r ZPC-5</b>		75	25	100	28	60X60	6,3	43x43	60	•
<b>340h 29G100r ZPC-5</b>		100	27	134	37	76x76	8,5	55x55	90	•
<b>340h 29G125r ZPC-5</b>		125	27	157	45	76x76	8,5	55x55	120	•
<b>345a 29G050r ZPC-5</b>		50	20	69,5		60X60	6,3	43x43	40	•
<b>345a 29G075r ZPC-5</b>		75	25	100		60X60	6,3	43x43	60	•
<b>345a 29G100r ZPC-5</b>		100	27	134		76x76	8,5	55x55	90	•
<b>345a 29G125r ZPC-5</b>		125	27	157		76x76	8,5	55x55	120	•

• Artikel auf Anfrage / product on request

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert

### Radserie 29Gr

- thermoplastische Elastomer-Bandage (TPE), eisengrau RAL 7011 (Shore A 80)
- Kunststoff-Radkörper silbergrau RAL 7001 ohne Fadenschutz
- Gleitlager
- Kontaktverfärbung auf unversiegelten Böden möglich!

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated

### Wheel series 29Gr

- thermoplastic elastomer tyre (TPE) iron grey RAL 7011 (Shore A 80)
- plastic wheel centre silver grey RAL7001
- without thread guard
- plain bearing
- Contact discoloration on unsealed grounds possible!

**340a** Lenkrolle / Swivel castor

**340h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind



<b>340a 29G050r ZLC-5</b>	50	20	68	24	10,5	40	•
<b>340a 29G075r ZLC-5</b>	75	25	98	28	10,5	60	•
<b>340a 29G100r ZLC-5</b>	100	27	131,5	37	10,5	90	•
<b>340a 29G125r ZLC-5</b>	125	27	154,5	45	10,5	120	•
<b>340h 29G050r ZLC-5</b>	50	20	68	24	10,5	40	•
<b>340h 29G075r ZLC-5</b>	75	25	98	28	10,5	60	•
<b>340h 29G100r ZLC-5</b>	100	27	131,5	37	10,5	90	•
<b>340h 29G125r ZLC-5</b>	125	27	154,5	45	10,5	120	•

• Artikel auf Anfrage / product on request

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert

### Radserie 29Gr

- thermoplastische Elastomer-Bandage (TPE), eisengrau RAL 7011 (Shore A 80)
- Kunststoff-Radkörper silbergrau RAL 7001 ohne Fadenschutz
- Gleitlager
- Kontaktverfärbung auf unversiegelten Böden möglich!

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated

### Wheel series 29Gr

- thermoplastic elastomer tyre (TPE) iron grey RAL 7011 (Shore A 80)
- plastic wheel centre silver grey RAL7001
- without thread guard
- plain bearing
- Contact discoloration on unsealed grounds possible!

**340a** Lenkrolle / Swivel castor

**340b** Lenkrolle mit Radfeststeller / Swivel castor with wheel locking brake

**341h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

**345a** Bockrolle / Fixed castor



<b>340a 33G050b ZPB</b>	50	18	70	24	54x54	6,3	40x40	40	
<b>341a 33G075b ZPC</b>	75	24	103	37	60x60	6,3	47x47/37x37	50	
<b>341a 33G100b ZPC</b>	100	24	124	28	60x60	6,3	47x47/37x37	60	



<b>340b 33G050b ZPB</b>	50	18	70	24	54x54	6,3	40x40	40	



<b>341h 33G075b ZPC</b>	75	24	103	37	60x60	6,3	47x47/37x37	50	
<b>341h 33G100b ZPC</b>	100	24	124	28	60x60	6,3	47x47/37x37	60	



<b>345a 33G050b ZPB</b>	50	18	70	54x54	6,3	40x40	40		
<b>346a 33G075b ZPC</b>	75	24	103	60x60	6,3	47x47/37x37	50		
<b>346a 33G100b ZPC</b>	100	24	124	60x60	6,3	47x47/37x37	60		

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert

### Radserie 33Gb

- Vollgummireifen blaugrau (Shore A 80)
- Kunststoff-Radkörper schwarz
- Gleitlager

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated

### Wheel series 33Gb

- solid rubber tyre blue-grey (Shore A 80)
- plastic wheel centre grey
- plain bearing

**340a** Lenkrolle / Swivel castor

**340b** Lenkrolle mit Radfeststeller / Swivel castor with wheel locking brake

**341h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

Möbelrollen  
Furniture castors

Apparaterollen  
Apparatus castors

Medizinisch-Technische Rollen  
Medical equipment castors

Transportgeräterollen  
Transport appliance castors

Edelstahlrollen  
Stainless steel castors

Schwerlastrollen  
Heavy duty castors

Bäckerrollen  
Bakery castors

Räder  
Wheels

Zubehör  
Accessories



<b>340a 33G050b ZLC</b>	50	18	67	24	10,2	40	
<b>341a 33G075b ZLC</b>	75	24	100	37	10,2	50	
<b>341a 33G100b ZLC</b>	100	24	121	28	10,2	60	



<b>340b 33G050b ZLC</b>	50	18	67	24	10,2	40	



<b>341h 33G075b ZLC</b>	75	24	100	37	10,2	50	
<b>341h 33G100b ZLC</b>	100	24	121	28	10,2	60	

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert

### Radserie 33Gb

- Vollgummireifen blaugrau (Shore A 80)
- Kunststoff-Radkörper schwarz
- Gleitlager

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated

### Wheel series 33Gb

- solid rubber tyre blue-grey (Shore A 80)
- plastic wheel centre grey
- plain bearing

**340a** Lenkrolle / Swivel castor

**340b** Lenkrolle mit Radfeststeller / Swivel castor with wheel locking brake

**341h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind



<b>340a 33G050b ZGC</b>	50	18	70	24	M10x25	40
<b>341a 33G075b ZGC</b>	75	24	103	37	M10x25	50
<b>341a 33G100b ZGC</b>	100	24	124	28	M10x25	60



<b>340b 33G050b ZGC</b>	50	18	70	24	M10x25	40



<b>341h 33G075b ZGC</b>	75	24	103	37	M10x25	50
<b>341h 33G100b ZGC</b>	100	24	124	28	M10x25	60

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert

### Radserie 33Gb

- Vollgummireifen blaugrau (Shore A 80)
- Kunststoff-Radkörper schwarz
- Gleitlager

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated

### Wheel series 33Gb

- solid rubber tyre blue-grey (Shore A 80)
- plastic wheel centre grey
- plain bearing

- 340a** Lenkrolle / Swivel castor
- 340b** Lenkrolle mit Radfeststeller / Swivel castor with wheel locking brake
- 341h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

Möbelrollen / Furniture castors  
**Apparaterollen / Apparatus castors**  
 Medizinisch-Technische Rollen / Medical equipment castors  
 Transportgeräterollen / Transport appliance castors  
 Edelstahlrollen / Stainless steel castors  
 Schwerlastrollen / Heavy duty castors  
 Bäckerrollen / Bakery castors  
 Räder / Wheels  
 Zubehör / Accessories



<b>340a 33G050b ZR</b>	50	18	70	24	40	
<b>341a 33G075b ZR</b>	75	24	103	37	50	
<b>341a 33G100b ZR</b>	100	24	124	28	60	



<b>340b 33G050b ZR</b>	50	18	70	24	40	



<b>341h 33G075b ZR</b>	75	24	103	37	50	
<b>341h 33G100b ZR</b>	100	24	124	28	60	

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert
- Befestigung siehe Kapitel »Zubehör«

### Radserie 33Gb

- Vollgummireifen blaugrau (Shore A 80)
- Kunststoff-Radkörper schwarz
- Gleitlager

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated
- attachment see chapter »Accessories«

### Wheel series 33Gb

- solid rubber tyre blue-grey (Shore A 80)
- plastic wheel centre grey
- plain bearing



**341a** Lenkrolle / Swivel castor

**341h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

**346a** Bockrolle / Fixed castor



<b>341a 30C100b ZPC</b>	100	23	124	28	60x60	6,3	47x47/37x37	65		



<b>341h 30C100b ZPC</b>	100	23	124	28	60x60	6,3	47x47/37x37	65		



<b>346a 30C100b ZPC</b>	100	23	124		60x60	6,3	47x47/37x37	65		

### Technische Beschreibung

- Stahlblechgehäuse
- verzinkt-passiviert
- Schwenklager mit zweireihigem Kugellauf

### Radserie 30Cb

- Vollgummireifen blaugrau (Shore A 80)
- Metall-Fadenschutz verzinkt-passiviert
- Stahlblechfelge
- Flanschlager

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated

### Wheel series 30Cb

- solid rubber tyre blue-grey (Shore A 80)
- sheet steel metal rim
- thread guard zinc passivated
- flange bearing

**341a** Lenkrolle / Swivel castor

**341h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

Möbelrollen  
Furniture castors



<b>341a 30C100b ZLC</b>	100	23	121	28	10,2	65	

Apparaterollen  
Apparatus castors



<b>341h 30C100b ZLC</b>	100	23	121	28	10,2	65	

Medizinisch-Technische Rollen  
Medical equipment castors



<b>341a 30C100b ZGC</b>	100	23	124	28	M10x25	65	

Transportgeräterollen  
Transport appliance castors



<b>341h 30C100b ZGC</b>	100	23	124	28	M10x25	65	

Edelstahlrollen  
Stainless steel castors

Schwerlastrollen  
Heavy duty castors

Bäckerrollen  
Bakery castors

Räder  
Wheels

Zubehör  
Accessories

### Technische Beschreibung

- Stahlblechgehäuse
- verzinkt-passiviert
- Schwenklager mit zweireihigem Kugellauf

### Radserie 30Cb

- Vollgummireifen blaugrau (Shore A 80)
- Metall-Fadenschutz verzinkt-passiviert
- Stahlblechfelge
- Flanschlager

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated







### Wheel series 30Cb

- solid rubber tyre blue-grey (Shore A 80)
- sheet steel metal rim
- thread guard zinc passivated
- flange bearing







**341a** Lenkrolle / Swivel castor

**341h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind



						
<b>341a 30C100b ZR</b>	100	23	124	28	65	



						
<b>341h 30C100b ZR</b>	100	23	124	28	65	

### Technische Beschreibung

- Stahlblechgehäuse
- verzinkt-passiviert
- Schwenklager mit zweireihigem Kugellauf
- Befestigung siehe Kapitel »Zubehör«

### Radserie 30Cb

- Vollgummireifen blaugrau (Shore A 80)
- Metall-Fadenschutz verzinkt-passiviert
- Stahlblechfelge
- Flanschlager

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated
- attachment see chapter »Accessories«

### Wheel series 30Cb

- solid rubber tyre blue-grey (Shore A 80)
- sheet steel metal rim
- thread guard zinc passivated
- flange bearing

**340a** Lenkrolle / Swivel castor

**340b** Lenkrolle mit Radfeststeller / Swivel castor with wheel locking brake

**341h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

**345a** Bockrolle / Fixed castor

Möbelrollen  
Furniture castors

Apparaterollen  
Apparatus castors

Medizinisch-Technische Rollen  
Medical equipment castors

Transportgeräterollen  
Transport appliance castors

Edelstahlrollen  
Stainless steel castors

Schwerlastrollen  
Heavy duty castors

Bäckerrollen  
Bakery castors

Räder  
Wheels

Zubehör  
Accessories



<b>340a 33C050b ZPB</b>	50	18	70	24	54x54	6,3	40x40	40	
<b>341a 33C075b ZPC</b>	75	23	103	37	60x60	6,3	47x47/37x37	50	



<b>340b 33C050b ZPB</b>	50	18	70	24	54x54	6,3	40x40	40	



<b>341h 33C075b ZPC</b>	75	23	103	37	60x60	6,3	47x47/37x37	50	



<b>345a 33C050b ZPB</b>	50	18	70		54x54	6,3	40x40	40	
<b>346a 33C075b ZPC</b>	75	23	103		60x60	6,3	47x47/37x37	50	

**Technische Beschreibung**

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert

**Radserie 33Cb**

- Vollgummireifen blaugrau (Shore A 80)
- Kunststoff-Radkörper grau
- Metall-Fadenschutz verzinkt-passiviert (ab Ø 75 mm)
- Flanschlager

**Technical description**

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated

**Wheel series 33Cb**

- solid rubber tyre blue-grey (Shore A 80)
- plastic wheel centre grey
- metal thread guard zinc-passivated (from Ø 75 mm)
- flange bearing

**340a** Lenkrolle / Swivel castor

**340b** Lenkrolle mit Radfeststeller / Swivel castor with wheel locking brake

**341h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind



<b>340a 33C050b ZLC</b>	50	18	67	24	10,2	40	
<b>341a 33C075b ZLC</b>	75	23	100	37	10,2	50	



<b>340b 33C050b ZLC</b>	50	18	67	24	10,2	40	



<b>341h 33C075b ZLC</b>	75	23	100	37	10,2	50	

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert

### Radserie 33Cb

- Vollgummireifen blaugrau (Shore A 80)
- Kunststoff-Radkörper grau
- Metall-Fadenschutz verzinkt-passiviert (ab Ø 75 mm)
- Flanschlager

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated

### Wheel series 33Cb

- solid rubber tyre blue-grey (Shore A 80)
- plastic wheel centre grey
- metal thread guard zinc-passivated (from Ø 75 mm)
- flange bearing

**340a** Lenkrolle / Swivel castor

**340b** Lenkrolle mit Radfeststeller / Swivel castor with wheel locking brake

**341h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

Möbelrollen  
Furniture castors

Apparaterollen  
Apparatus castors

Medizinisch-Technische Rollen  
Medical equipment castors

Transportgeräterollen  
Transport appliance castors

Edelstahlrollen  
Stainless steel castors

Schwerlastrollen  
Heavy duty castors

Bäckerrollen  
Bakery castors

Räder  
Wheels

Zubehör  
Accessories



<b>340a 33C050b ZGC</b>	50	18	70	24	M10x25	40	
<b>341a 33C075b ZGC</b>	75	23	103	37	M10x25	50	



<b>340b 33C050b ZGC</b>	50	18	70	24	M10x25	40	



<b>341h 33C075b ZGC</b>	75	23	103	37	M10x25	50	

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellager
- verzinkt-passiviert

### Radserie 33Cb

- Vollgummireifen blaugrau (Shore A 80)
- Kunststoff-Radkörper grau
- Metall-Fadenschutz verzinkt-passiviert (ab Ø 75 mm)
- Flanschlager

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated

### Wheel series 33Cb

- solid rubber tyre blue-grey (Shore A 80)
- plastic wheel centre grey
- metal thread guard zinc-passivated (from Ø 75 mm)
- flange bearing

**340a** Lenkrolle / Swivel castor

**340b** Lenkrolle mit Radfeststeller / Swivel castor with wheel locking brake

**341h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind



<b>340a 33C050b ZR</b>	50	18	70	24	40	
<b>341a 33C075b ZR</b>	75	23	103	37	50	



<b>340b 33C050b ZR</b>	50	18	70	24	40	



<b>341h 33C075b ZR</b>	75	23	103	37	50	

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert
- Befestigung siehe Kapitel »Zubehör«

### Radserie 33Cb

- Vollgummireifen blaugrau (Shore A 80)
- Kunststoff-Radkörper grau
- Metall-Fadenschutz verzinkt-passiviert (ab Ø 75 mm)
- Flanschlager

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated
- attachment see chapter »Accessories«

### Wheel series 33Cb

- solid rubber tyre blue-grey (Shore A 80)
- plastic wheel centre grey
- metal thread guard zinc-passivated (from Ø 75 mm)
- flange bearing





**GML** Lenkrolle / Swivel castor

**GMF** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

**GMR** Bockrolle / Fixed castor



<b>GML-21C-P60</b>	50	22	22	69	23	60x60	6,5	38x38/48x48	48	50
<b>GML-31C-P60</b>	75	28	28	98	24	60x60	6,5	38x38/48x48	62	60
<b>GML-41C-P60</b>	100	30	30	122	25	60x60	6,5	38x38/48x48	75	75



<b>GMF-21C-P60</b>	50	30	22	69	23	60x60	6,5	38x38/48x48	75	75
<b>GMF-31C-P60</b>	75	30	28	98	24	60x60	6,5	38x38/48x48	81	75
<b>GMF-41C-P60</b>	100	30	30	122	25	60x60	6,5	38x38/48x48	90	75



<b>GMR-21C-P60</b>	50	22	22	69	23	63x60	6,5	38x38/48x48	50	
<b>GMR-31C-P60</b>	75	28	28	100	24	63x60	6,5	38x38/48x48	60	

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert

### Radserie VIVAX-1C

- Polypropylen-Radkörper
- thermoplastische Bandage (TPE, Shore A 87)
- Fadenschutz
- Kugellager
- nicht ausölend

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated

### Wheel series VIVAX-1C

- TPE tread (Shore A 87)
- polypropylene wheel body
- thread guard
- ball bearing
- non-oiling
- on request further variants available

**GSL** Lenkrolle / Swivel castor

**GSF** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

Michelrollen  
Furniture castors

Apparaterollen  
Apparatus castors

Medizinisch-Technische Rollen  
Medical equipment castors

Transportgeräterollen  
Transport appliance castors

Edelstahlrollen  
Stainless steel castors

Schwerlastrollen  
Heavy duty castors

Bäckerrollen  
Bakery castors

Räder  
Wheels

Zubehör  
Accessories



<b>GSL-41C-L10</b>	100	32	36	135	43	11	93	100	
<b>GSL-51C-L10</b>	125	32	36	160	41	11	104	100	
<b>GSL-61C-L10</b>	150	32	36	185	36	11	111	120	
<b>GSL-41C-L12</b>	100	32	36	135	43	12,2	93	100	
<b>GSL-51C-L12</b>	125	32	36	160	41	12,2	104	100	
<b>GSL-61C-L12</b>	150	32	36	185	36	12,2	111	120	
<b>GSF-41C-L10</b>	100	32	36	135	43	11	130	100	
<b>GSF-51C-L10</b>	125	32	36	160	41	11	132	100	
<b>GSF-61C-L10</b>	150	32	36	185	36	11	132	120	
<b>GSF-41C-L12</b>	100	32	36	135	43	12,2	130	100	
<b>GSF-51C-L12</b>	125	32	36	160	41	12,2	132	100	
<b>GSF-61C-L12</b>	150	32	36	185	36	12,2	132	120	

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert

### Radserie VIVAX-1C

- Polypropylen-Radkörper
- thermoplastische Bandage (TPE, Shore A 87)
- Fadenschutz
- Kugellager
- nicht ausölend

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated

### Wheel series VIVAX-1C

- TPE tread (Shore A 87)
- polypropylene wheel body
- thread guard
- ball bearing
- non-oiling
- on request further variants available

**GSL** Lenkrolle / Swivel castor

**GSF** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind



<b>GSL-41C-P77</b>		100	32	36	135	43	77x67	8,5	61x51/56x46	93	100	
<b>GSL-51C-P77</b>		125	32	36	160	41	77x67	8,5	61x51/56x46	104	100	
<b>GSL-61C-P77</b>		150	32	36	185	36	77x67	8,5	61x51/56x46	111	120	
<b>GSL-41C-P95</b>		100	32	36	135	43	95x70	8,5	75x50/72x52	93	100	
<b>GSL-51C-P95</b>		125	32	36	160	41	95x70	8,5	75x50/72x52	104	100	
<b>GSL-61C-P95</b>		150	32	36	185	36	95x70	8,5	75x50/72x52	111	120	
<b>GSF-41C-P77</b>		100	32	36	135	43	77x67	8,5	61x51/56x46	130	100	
<b>GSF-51C-P77</b>		125	32	36	160	41	77x67	8,5	61x51/56x46	132	100	
<b>GSF-61C-P77</b>		150	32	36	185	36	77x67	8,5	61x51/56x46	132	120	
<b>GSF-41C-P95</b>		100	32	36	135	43	95x70	8,5	75x50/72x52	130	100	
<b>GSF-51C-P95</b>		125	32	36	160	41	95x70	8,5	75x50/72x52	132	100	
<b>GSF-61C-P95</b>		150	32	36	185	36	95x70	8,5	75x50/72x52	132	120	

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert

### Radserie VIVAX-1C

- Polypropylen-Radkörper
- thermoplastische Bandage (TPE, Shore A 87)
- Fadenschutz
- Kugellager
- nicht ausöland

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated

### Wheel series VIVAX-1C

- TPE tread (Shore A 87)
- polypropylene wheel body
- thread guard
- ball bearing
- non-oiling
- on request further variants available

**357a** Lenkrolle / Swivel castor

**357h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

**357r** Lenkrolle mit Richtungsfeststeller / Swivel castor with directional lock

**354a** Bockrolle / Fixed castor

Möbelrollen  
Furniture castors

Apparaterollen  
Apparatus castors

Medizinisch-Technische Rollen  
Medical equipment castors

Transportgeräterollen  
Transport appliance castors

Edelstahlrollen  
Stainless steel castors

Schwerlastrollen  
Heavy duty castors

Bäckerrollen  
Bakery castors

Räder  
Wheels

Zubehör  
Accessories



<b>357a 29K100r ZPF</b>	100	30	129,5	41,5	95x70	9	75x45/72x52	100	
<b>357a 29K125r ZPF</b>	125	32	154	43,5	95x70	9	75x45/72x52	100	
<b>357a 29K150r ZPF</b>	150	32	180,5	51	95x70	9	75x45/72x52	120	



<b>357h 29K100r ZPF</b>	100	30	129,5	47,5	95x70	9	75x45/72x52	100	
<b>357h 29K125r ZPF</b>	125	32	154	41,5	95x70	9	75x45/72x52	100	
<b>357h 29K150r ZPF</b>	150	32	180,5	38	95x70	9	75x45/72x52	120	



<b>357r 29K100r ZPF</b>	100	30	129,5	47,5	95x70	9	75x45/72x52	100	•
<b>357r 29K125r ZPF</b>	125	32	154	41,5	95x70	9	75x45/72x52	100	•
<b>357r 29K150r ZPF</b>	150	32	180,5	38	95x70	9	75x45/72x52	120	•



<b>354a 29K100r ZPF</b>	100	30	129,5	95x70	9	75x45/72x52	100	
<b>354a 29K125r ZPF</b>	125	32	154	95x70	9	75x45/72x52	100	
<b>354a 29K150r ZPF</b>	150	32	180,5	95x70	9	75x45/72x52	120	

• Artikel auf Anfrage / product on request

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert
- auch mit Platte PD (77x67 mm) und Rückenloch LC (11 mm) lieferbar

### Radserie 29Kr

- thermoplastische Elastomer-Bandage (TPE) eisengrau RAL 7011 (Shore A 80)
- Kunststoff-Radkörper und Kunststoff-Fadenschutz silbergrau RAL 7001
- Präzisionskugellager
- Kontaktverfärbung auf unversiegelten Böden möglich!

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated
- also available with plate PD (77x67 mm) and bolt hole LC (11 mm)

### Wheel series 29Kr

- thermoplastic elastomer tyre (TPE) iron grey RAL 7011 (Shore A 80)
- plastic wheel centre and thread guard silver grey RAL7001
- precision ball bearing
- Contact discoloration on unsealed grounds possible!

**357a** Lenkrolle / Swivel castor

**357h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind



<b>357a 29K100r ZPH-5</b>	100	32	135	38	100x80	9	80x60	90		•
<b>357a 29K125r ZPH-5</b>	125	32	160	41	100x80	9	80x60	110		•
<b>357a 29K150r ZPH-5</b>	150	32	184,5	45	100x80	9	80x60	130		•



<b>357h 29K100r ZPH-5</b>	100	32	135	43,5	100x80	9	80x60	90		•
<b>357h 29K125r ZPH-5</b>	125	32	160	41	100x80	9	80x60	110		•
<b>357h 29K150r ZPH-5</b>	150	32	184,5	36	100x80	9	80x60	130		•

• Artikel auf Anfrage / product on request

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert
- auch mit Rückenloch LC (10,5) und als Lenkrolle mit Richtungsfeststeller (357r) lieferbar

### Radserie 29Kr

- thermoplastische Elastomer-Bandage (TPE) eisengrau RAL 7011 (Shore A 80)
- Kunststoff-Radkörper und Kunststoff-Fadenschutz silbergrau RAL 7001
- Präzisionskugellager
- Kontaktverfärbung auf unversiegelten Böden möglich!

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated
- also available with bolt hole LC (10,5 mm) and swivel castors with directional brake (357r)

### Wheel series 29Kr

- thermoplastic elastomer tyre (TPE) iron grey RAL 7011 (Shore A 80)
- plastic wheel centre and thread guard silver grey RAL7001
- precision ball bearing
- Contact discoloration on unsealed grounds possible!

**357a** Lenkrolle / Swivel castor

**357h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

**357r** Lenkrolle mit Richtungsfeststeller / Swivel castor with directional lock

Michelrollen  
Furniture castors

Apparaterollen  
Apparatus castors

Medizinisch-Technische Rollen  
Medical equipment castors

Transportgeräterollen  
Transport appliance castors

Edelstahlrollen  
Stainless steel castors

Schwerlastrollen  
Heavy duty castors

Bäckerrollen  
Bakery castors

Räder  
Wheels

Zubehör  
Accessories



<b>357a 29K100r ZLD</b>	100	30	129,5	41,5	13	100	
<b>357a 29K125r ZLD</b>	125	32	154	43,5	13	100	
<b>357a 29K150r ZLD</b>	150	32	180,5	51	13	120	



<b>357h 29K100r ZLD</b>	100	30	129,5	47,5	13	100	
<b>357h 29K125r ZLD</b>	125	32	154	41,5	13	100	
<b>357h 29K150r ZLD</b>	150	32	180,5	38	13	120	



<b>357r 29K100r ZLD</b>	100	30	129,5	47,5	13	100	•
<b>357r 29K125r ZLD</b>	125	32	154	41,5	13	100	•
<b>357r 29K150r ZLD</b>	150	32	180,5	38	13	120	•

• Artikel auf Anfrage / product on request

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert
- auch mit Platte PD (77x67 mm) und Rückenloch LC (11 mm) lieferbar

### Radserie 29Kr

- thermoplastische Elastomer-Bandage (TPE) eisengrau RAL 7011 (Shore A 80)
- Kunststoff-Radkörper und Kunststoff-Fadenschutz silbergrau RAL 7001
- Präzisionskugellager
- Kontaktverfärbung auf unversiegelten Böden möglich!

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated
- also available with plate PD (77x67 mm) and bolt hole LC (11 mm)







### Wheel series 29Kr

- thermoplastic elastomer tyre (TPE) iron grey RAL 7011 (Shore A 80)
- plastic wheel centre and thread guard silver grey RAL7001
- precision ball bearing
- Contact discoloration on unsealed grounds possible!








**357a** Lenkrolle / Swivel castor

**357h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind



							
<b>357a 29K100r ZLD-5</b>	100	32	135	38	12,5	90	•
<b>357a 29K125r ZLD-5</b>	125	32	160	41	12,5	110	•
<b>357a 29K150r ZLD-5</b>	150	32	184,5	45	12,5	130	•



							
<b>357h 29K100r ZLD-5</b>	100	32	135	38	12,5	90	•
<b>357h 29K125r ZLD-5</b>	125	32	160	41	12,5	110	•
<b>357h 29K150r ZLD-5</b>	150	32	184,5	45	12,5	130	•

• Artikel auf Anfrage / product on request

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert
- auch mit Rückenloch LC (10,5) und als Lenkrolle mit Richtungsfeststeller (357r) lieferbar

### Radserie 29Kr

- thermoplastische Elastomer-Bandage (TPE) eisengrau RAL 7011 (Shore A 80)
- Kunststoff-Radkörper und Kunststoff-Fadenschutz silbergrau RAL 7001
- Präzisionskugellager
- Kontaktverfärbung auf unversiegelten Böden möglich!

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated
- also available with bolt hole LC (10,5 mm) and swivel castors with directional brake (357r)

### Wheel series 29Kr

- thermoplastic elastomer tyre (TPE) iron grey RAL 7011 (Shore A 80)
- plastic wheel centre and thread guard silver grey RAL7001
- precision ball bearing
- Contact discoloration on unsealed grounds possible!

**357a** Lenkrolle / Swivel castor

**357h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

**357r** Lenkrolle mit Richtungsfeststeller / Swivel castor with directional lock

Möbelrollen  
Furniture castors

Apparaterollen  
Apparatus castors

Medizinisch-Technische Rollen  
Medical equipment castors

Transportgeräterollen  
Transport appliance castors

Edelstahlrollen  
Stainless steel castors

Schwerlastrollen  
Heavy duty castors

Bäckerrollen  
Bakery castors

Räder  
Wheels

Zubehör  
Accessories



<b>357a 29K100r Z522</b>	100	30	132,5	41,5	24x45 M8/19	100	
<b>357a 29K125r Z522</b>	125	32	157	43,5	24x45 M8/19	100	
<b>357a 29K150r Z522</b>	150	32	183,5	51	24x45 M8/19	120	



<b>357h 29K100r Z522</b>	100	30	132,5	47,5	24x45 M8/19	100	
<b>357h 29K125r Z522</b>	125	32	157	41,5	24x45 M8/19	100	
<b>357h 29K150r Z522</b>	150	32	183,5	38	24x45 M8/19	120	



<b>357r 29K100r Z522</b>	100	30	132,5	47,5	24x45 M8/19	100	•
<b>357r 29K125r Z522</b>	125	32	157	41,5	24x45 M8/19	100	•
<b>357r 29K150r Z522</b>	150	32	183,5	38	24x45 M8/19	120	•

• Artikel auf Anfrage / product on request

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert
- auch mit Platte PD (77x67 mm) und Rückenloch LC (11 mm) lieferbar
- Befestigung siehe Kapitel »Zubehör«

### Radserie 29Kr

- thermoplastische Elastomer-Bandage (TPE) eisengrau RAL 7011 (Shore A 80)
- Kunststoff-Radkörper und Kunststoff-Fadenschutz silbergrau RAL 7001
- Präzisionskugellager
- Kontaktverfärbung auf unversiegelten Böden möglich!

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated
- also available with plate PD (77x67 mm) and bolt hole LC (11 mm)
- attachment see chapter »Accessories«

### Wheel series 29Kr








- thermoplastic elastomer tyre (TPE) iron grey RAL 7011 (Shore A 80)
- plastic wheel centre and thread guard silver grey RAL7001
- precision ball bearing
- Contact discoloration on unsealed grounds possible!










**357a** Lenkrolle / Swivel castor

**357h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind



							
<b>357a 29K100r Z622-5</b>	100	32	138,5	38	28x44,5	90	•
<b>357a 29K125r Z622-5</b>	125	32	163,5	41	28x44,5	110	•
<b>357a 29K150r Z622-5</b>	150	32	188	45	28x44,5	130	•



							
<b>357h 29K100r Z622-5</b>	100	32	138,5	43,5	28x44,5	90	•
<b>357h 29K125r Z622-5</b>	125	32	163,5	41	28x44,5	110	•
<b>357h 29K150r Z622-5</b>	150	32	188	36	28x44,5	130	•

• Artikel auf Anfrage / product on request

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert
- auch mit Rückenloch LC (10,5) und als Lenkrolle mit Richtungsfeststeller (357r) lieferbar

### Radserie 29Kr

- thermoplastische Elastomer-Bandage (TPE) eisengrau RAL 7011 (Shore A 80)
- Kunststoff-Radkörper und Kunststoff-Fadenschutz silbergrau RAL 7001
- Präzisionskugellager
- Kontaktverfärbung auf unversiegelten Böden möglich!

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated
- also available with bolt hole LC (10,5 mm) and swivel castors with directional brake (357r)

### Wheel series 29Kr

- thermoplastic elastomer tyre (TPE) iron grey RAL 7011 (Shore A 80)
- plastic wheel centre and thread guard silver grey RAL7001
- precision ball bearing
- Contact discoloration on unsealed grounds possible!

**357a** Lenkrolle / Swivel castor

**357h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

Michelrollen  
Furniture castors

Apparaterollen  
Apparatus castors

Medizinisch-Technische Rollen  
Medical equipment castors

Transportgeräterollen  
Transport appliance castors

Edelstahlrollen  
Stainless steel castors

Schwerlastrollen  
Heavy duty castors

Bäckerrollen  
Bakery castors

Räder  
Wheels

Zubehör  
Accessories



<b>357a 29K100r ZGD-5</b>	100	32	135	38	M12x30	90	•
<b>357a 29K125r ZGD-5</b>	125	32	160	41	M12x30	110	•
<b>357a 29K150r ZGD-5</b>	150	32	184,5	45	M12x30	130	•

<b>357h 29K100r ZGD-5</b>	100	32	135	43,5	M12x30	90	•
<b>357h 29K125r ZGD-5</b>	125	32	160	41	M12x30	110	•
<b>357h 29K150r ZGD-5</b>	150	32	184,5	36	M12x30	130	•

• Artikel auf Anfrage / product on request

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert
- auch mit Rückenloch LC (10,5) und als Lenkrolle mit Richtungsfeststeller (357r) lieferbar

### Radserie 29Kr

- thermoplastische Elastomer-Bandage (TPE) eisengrau RAL 7011 (Shore A 80)
- Kunststoff-Radkörper und Kunststoff-Fadenschutz silbergrau RAL 7001
- Präzisionskugellager
- Kontaktverfärbung auf unversiegelten Böden möglich!

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated
- also available with bolt hole LC (10,5 mm) and swivel castors with directional brake (357r)

### Wheel series 29Kr

- thermoplastic elastomer tyre (TPE) iron grey RAL 7011 (Shore A 80)
- plastic wheel centre and thread guard silver grey RAL7001
- precision ball bearing
- Contact discoloration on unsealed grounds possible!

**357a** Lenkrolle / Swivel castor

**357h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

**357r** Lenkrolle mit Richtungsfeststeller / Swivel castor with directional lock



<b>357a 29K100r ZR</b>	100	30	132,5	41,5	100	
<b>357a 29K125r ZR</b>	125	32	157	43,5	100	
<b>357a 29K150r ZR</b>	150	32	183,5	51	120	



<b>357h 29K100r ZR</b>	100	30	132,5	47,5	100	
<b>357h 29K125r ZR</b>	125	32	157	41,5	100	
<b>357h 29K150r ZR</b>	150	32	183,5	38	120	



<b>357r 29K100r ZR</b>	100	32	132,5	47,5	100	•
<b>357r 29K125r ZR</b>	125	32	157	41,5	100	•
<b>357r 29K150r ZR</b>	150	32	183,5	38	120	•

• Artikel auf Anfrage / product on request

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert
- auch mit Platte PD (77x67 mm) und Rückenloch LC (11 mm) lieferbar
- Befestigung siehe Kapitel »Zubehör«

### Radserie 29Kr

- thermoplastische Elastomer-Bandage (TPE) eisengrau RAL 7011 (Shore A 80)
- Kunststoff-Radkörper und Kunststoff-Fadenschutz silbergrau RAL 7001
- Präzisionskugellager
- Kontaktverfärbung auf unversiegelten Böden möglich!

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated
- also available with plate PD (77x67 mm) and bolt hole LC (11 mm)
- attachment see chapter »Accessories«

### Wheel series 29Kr

- thermoplastic elastomer tyre (TPE) iron grey RAL 7011 (Shore A 80)
- plastic wheel centre and thread guard silver grey RAL7001
- precision ball bearing
- Contact discoloration on unsealed grounds possible!

**357a** Lenkrolle / Swivel castor

**357h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

**357r** Lenkrolle mit Richtungsfeststeller / Swivel castor with directional lock

**354a** Bockrolle / Fixed castor

Möbelrollen  
Furniture castors

Apparaterollen  
Apparatus castors

Medizinisch-Technische Rollen  
Medical equipment castors

Transportgeräterollen  
Transport appliance castors

Edelstahlrollen  
Stainless steel castors

Schwerlastrollen  
Heavy duty castors

Bäckerrollen  
Bakery castors

Räder  
Wheels

Zubehör  
Accessories



<b>357a 29G100r ZPF</b>	100	30	129,5	41,5	95x70	9	75x45/72x52	100		
<b>357a 29G125r ZPF</b>	125	32	154	43,5	95x70	9	75x45/72x52	100		



<b>357h 29G100r ZPF</b>	100	30	129,5	47,5	95x70	9	75x45/72x52	100		
<b>357h 29G125r ZPF</b>	125	32	154	41,5	95x70	9	75x45/72x52	100		



<b>357r 29G100r ZPF</b>	100	30	129,5	47,5	95x70	9	75x45/72x52	100	•	
<b>357r 29G125r ZPF</b>	125	32	154	41,5	95x70	9	75x45/72x52	100	•	



<b>354a 29G100r ZPF</b>	100	30	129,5	95x70	9	75x45/72x52	100			
<b>354a 29G125r ZPF</b>	125	32	154	95x70	9	75x45/72x52	100			

• Artikel auf Anfrage / product on request

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert
- auch mit Platte PD (77x67 mm) und Rückenloch LC (11 mm) lieferbar

### Radserie 29Gr

- thermoplastische Elastomer-Bandage (TPE), eisengrau RAL 7011 (Shore A 80)
- Kunststoff-Radkörper silbergrau RAL 7001 ohne Fadenschutz
- Gleitlager
- Kontaktverfärbung auf unversiegelten Böden möglich!

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated
- also available with plate PD (77x67 mm) and bolt hole LC (11 mm)

### Wheel series 29Gr

- thermoplastic elastomer tyre (TPE) iron grey RAL 7011 (Shore A 80)
- plastic wheel centre silver grey RAL7001
- without thread guard
- plain bearing
- Contact discoloration on unsealed grounds possible!

**357a** Lenkrolle / Swivel castor

**357h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

**357r** Lenkrolle mit Richtungsfeststeller / Swivel castor with directional lock



<b>357a 29G100r ZLD</b>	100	30	129,5	41,5	13	100	
<b>357a 29G125r ZLD</b>	125	32	154	43,5	13	100	



<b>357h 29G100r ZLD</b>	100	30	129,5	47,5	13	100	
<b>357h 29G125r ZLD</b>	125	32	154	43,5	13	100	



<b>357r 29G100r ZLD</b>	100	30	129,5	47,5	13	100	•
<b>357r 29G125r ZLD</b>	125	32	154	41,5	13	100	•

• Artikel auf Anfrage / product on request

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert
- auch mit Platte PD (77x67 mm) und Rückenloch LC (11 mm) lieferbar

### Radserie 29Gr

- thermoplastische Elastomer-Bandage (TPE), eisengrau RAL 7011 (Shore A 80)
- Kunststoff-Radkörper silbergrau RAL 7001 ohne Fadenschutz
- Gleitlager
- Kontaktverfärbung auf unversiegelten Böden möglich!

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated
- also available with plate PD (77x67 mm) and bolt hole LC (11 mm)

### Wheel series 29Gr

- thermoplastic elastomer tyre (TPE) iron grey RAL 7011 (Shore A 80)
- plastic wheel centre silver grey RAL7001
- without thread guard
- plain bearing
- Contact discoloration on unsealed grounds possible!

**357a** Lenkrolle / Swivel castor

**357h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

**357r** Lenkrolle mit Richtungsfeststeller / Swivel castor with directional lock

Möbelrollen  
Furniture castors



<b>357a 29G100r Z522</b>	100	30	132,5	41,5	24x45 M8/19	100	
<b>357a 29G125r Z522</b>	125	32	157	43,5	24x45 M8/19	100	

Apparaterollen  
Apparatus castors



<b>357h 29G100r Z522</b>	100	30	132,5	47,5	24x45 M8/19	100	
<b>357h 29G125r Z522</b>	125	32	157	41,5	24x45 M8/19	100	

Medizinisch-Technische Rollen  
Medical equipment castors



<b>357r 29G100r Z522</b>	100	30	132,5	47,5	24x45 M8/19	100	•
<b>357r 29G125r Z522</b>	125	32	157	41,5	24x45 M8/19	100	•

Transportgeräterollen  
Transport appliance castors

Edelstahlrollen  
Stainless steel castors

• Artikel auf Anfrage / product on request

Schwerlastrollen  
Heavy duty castors

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert
- auch mit Platte PD (77x67 mm) und Rückenloch LC (11 mm) lieferbar
- Befestigung siehe Kapitel »Zubehör«

### Radserie 29Gr

- thermoplastische Elastomer-Bandage (TPE), eisengrau RAL 7011 (Shore A 80)
- Kunststoff-Radkörper silbergrau RAL 7001 ohne Fadenschutz
- Gleitlager
- Kontaktverfärbung auf unversiegelten Böden möglich!

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated
- also available with plate PD (77x67 mm) and bolt hole LC (11 mm)
- attachment see chapter »Accessories«

### Wheel series 29Gr

- thermoplastic elastomer tyre (TPE) iron grey RAL 7011 (Shore A 80)
- plastic wheel centre silver grey RAL7001
- without thread guard
- plain bearing
- Contact discoloration on unsealed grounds possible!

Räder  
Wheels







Zubehör  
Accessories

**357a** Lenkrolle / Swivel castor







**357h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

**357r** Lenkrolle mit Richtungsfeststeller / Swivel castor with directional lock









						
<b>357a 29G100r ZR</b>	100	30	132,5	41,5	100	
<b>357a 29G125r ZR</b>	125	32	157	43,5	100	



						
<b>357h 29G100r ZR</b>	100	30	132,5	47,5	100	
<b>357h 29G125r ZR</b>	125	32	157	41,5	100	



						
<b>357r 29G100r ZR</b>	100	30	132,5	47,5	100	•
<b>357r 29G125r ZR</b>	125	32	157	41,5	100	•

• Artikel auf Anfrage / product on request

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert
- auch mit Platte PD (77x67 mm) und Rückenloch LC (11 mm) lieferbar
- Befestigung siehe Kapitel »Zubehör«

### Radserie 29Gr

- thermoplastische Elastomer-Bandage (TPE), eisengrau RAL 7011 (Shore A 80)
- Kunststoff-Radkörper silbergrau RAL 7001 ohne Fadenschutz
- Gleitlager
- Kontaktverfärbung auf unversiegelten Böden möglich!

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated
- also available with plate PD (77x67 mm) and bolt hole LC (11 mm)
- attachment see chapter »Accessories«

### Wheel series 29Gr

- thermoplastic elastomer tyre (TPE) iron grey RAL 7011 (Shore A 80)
- plastic wheel centre silver grey RAL7001
- without thread guard
- plain bearing
- Contact discoloration on unsealed grounds possible!

**357a** Lenkrolle / Swivel castor

**357h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

**357r** Lenkrolle mit Richtungsfeststeller / Swivel castor with directional lock

**354a** Bockrolle / Fixed castor

Möbelrollen  
Furniture castors

Apparaterollen  
Apparatus castors

Medizinisch-Technische Rollen  
Medical equipment castors

Transportgeräterollen  
Transport appliance castors

Edelstahlrollen  
Stainless steel castors

Schwerlastrollen  
Heavy duty castors

Bäckerrollen  
Bakery castors

Räder  
Wheels

Zubehör  
Accessories



<b>357a 32C100b ZPF</b>	100	32	129,5	41,5	95x70	9	75x45/72x52	80	
<b>357a 32C125b ZPF</b>	125	32	154	43,5	95x70	9	75x45/72x52	100	
<b>357a 32C150b ZPF</b>	150	32	180,5	51	95x70	9	75x45/72x52	110	



<b>357h 32C100b ZPF</b>	100	32	129,5	47,5	95x70	9	75x45/72x52	80	
<b>357h 32C125b ZPF</b>	125	32	154	41,5	95x70	9	75x45/72x52	100	
<b>357h 32C150b ZPF</b>	150	32	180,5	38	95x70	9	75x45/72x52	110	



<b>357r 32C100b ZPF</b>	100	32	129,5	47,5	95x70	9	75x45/72x52	80	•
<b>357r 32C125b ZPF</b>	125	32	154	41,5	95x70	9	75x45/72x52	100	•
<b>357r 32C150b ZPF</b>	150	32	180,5	38	95x70	9	75x45/72x52	110	•



<b>354a 32C100bZPF</b>	100	32	129,5	95x70	9	75x45/72x52	80	
<b>354a 32C125b ZPF</b>	125	32	154	95x70	9	75x45/72x52	100	
<b>354a 32C150b ZPF</b>	150	32	180,5	95x70	9	75x45/72x52	110	

• Artikel auf Anfrage / product on request

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert
- auch mit Platte PD (77x67 mm) und Rückenloch LC (11 mm) lieferbar

### Radserie 32Cb

- Vollgummireifen blaugrau (Shore A 80)
- Stahlblechfelge und Metall-Fadenschutz verzinkt-passiviert
- Flanschlager

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated
- also available with plate PD (77x67 mm) and bolt hole LC (11 mm)

### Wheel series 32Cb

- solid rubber tyre blue-grey (Shore A 80)
- sheet steel metal rim zinc passivated
- metal thread guard
- flange bearing



**357a** Lenkrolle / Swivel castor

**357h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

**357r** Lenkrolle mit Richtungsfeststeller / Swivel castor with directional lock



<b>357a 32C100b ZLD</b>	100	32	129,5	41,5	13	80	
<b>357a 32C125b ZLD</b>	125	32	154	43,5	13	100	
<b>357a 32C150b ZLD</b>	150	32	180,5	51	13	110	



<b>357h 32C100b ZLD</b>	100	32	129,5	47,5	13	80	
<b>357h 32C125b ZLD</b>	125	32	154	41,5	13	100	
<b>357h 32C150b ZLD</b>	150	32	180,5	38	13	110	



<b>357r 32C100b ZLD</b>	100	32	129,5	47,5	13	80	•
<b>357r 32C125b ZLD</b>	125	32	154	41,5	13	100	•
<b>357r 32C150b ZLD</b>	150	32	180,5	38	13	110	•

• Artikel auf Anfrage / product on request

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert
- auch mit Platte PD (77x67 mm) und Rückenloch LC (11 mm) lieferbar

### Radserie 32Cb

- Vollgummireifen blaugrau (Shore A 80)
- Stahlblechfelge und Metall-Fadenschutz verzinkt-passiviert
- Flanschlager

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated
- also available with plate PD (77x67 mm) and bolt hole LC (11 mm)

### Wheel series 32Cb

- solid rubber tyre blue-grey (Shore A 80)
- sheet steel metal rim zinc passivated
- metal thread guard
- flange bearing

**357a** Lenkrolle / Swivel castor

**357h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

**357r** Lenkrolle mit Richtungsfeststeller / Swivel castor with directional lock

Möbelrollen  
Furniture castors

Apparaterollen  
Apparatus castors

Medizinisch-Technische Rollen  
Medical equipment castors

Transportgeräterollen  
Transport appliance castors

Edelstahlrollen  
Stainless steel castors

Schwerlastrollen  
Heavy duty castors

Bäckerrollen  
Bakery castors

Räder  
Wheels

Zubehör  
Accessories



<b>357a 32C100b Z522</b>	100	32	132,5	41,5	24x45 M8/19	80	
<b>357a 32C125b Z522</b>	125	32	157	43,5	24x45 M8/19	100	
<b>357a 32C150b Z522</b>	150	32	183,5	51	24x45 M8/19	110	



<b>357h 32C100b Z522</b>	100	32	132,5	47,5	24x45 M8/19	80	
<b>357h 32C125b Z522</b>	125	32	157	41,5	24x45 M8/19	100	
<b>357h 32C150b Z522</b>	150	32	183,5	38	24x45 M8/19	110	



<b>357r 32C100b Z522</b>	100	32	132,5	47,5	24x45 M8/19	80	•
<b>357r 32C125b Z522</b>	125	32	157	41,5	24x45 M8/19	100	•
<b>357r 32C150b Z522</b>	150	32	183,5	38	24x45 M8/19	110	•

• Artikel auf Anfrage / product on request

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert
- auch mit Platte PD (77x67 mm) und Rückenloch LC (11 mm) lieferbar
- Befestigung siehe Kapitel »Zubehör«

### Radserie 32Cb

- Vollgummireifen blaugrau (Shore A 80)
- Stahlblechfelge und Metall-Fadenschutz verzinkt-passiviert
- Flanschlager

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated
- also available with plate PD (77x67 mm) and bolt hole LC (11 mm)
- attachment see chapter »Accessories«

### Wheel series 32Cb







- solid rubber tyre blue-grey (Shore A 80)
- sheet steel metal rim zinc passivated
- metal thread guard
- flange bearing

**357a** Lenkrolle / Swivel castor







**357h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

**357r** Lenkrolle mit Richtungsfeststeller / Swivel castor with directional lock









						
<b>357a 32C100b ZR</b>	100	32	132,5	41,5	80	
<b>357a 32C125b ZR</b>	125	32	157	43,5	100	
<b>357a 32C150b ZR</b>	150	32	183,5	51	110	



						
<b>357h 32C100b ZR</b>	100	32	132,5	47,5	80	
<b>357h 32C125b ZR</b>	125	32	157	41,5	100	
<b>357h 32C150b ZR</b>	150	32	183,5	38	110	



						
<b>357r 32C100b ZR</b>	100	32	132,5	47,5	80	•
<b>357r 32C125b ZR</b>	125	32	157	41,5	100	•
<b>357r 32C150b ZR</b>	150	32	183,5	38	110	•

• Artikel auf Anfrage / product on request

### Technische Beschreibung

- Stahlblechgehäuse
- Schwenklager mit zweireihigem Kugellauf
- verzinkt-passiviert
- auch mit Platte PD (77x67 mm) und Rückenloch LC (11 mm) lieferbar
- Befestigung siehe Kapitel »Zubehör«

### Radserie 32Cb

- Vollgummireifen blaugrau (Shore A 80)
- Stahlblechfelge und Metall-Fadenschutz verzinkt-passiviert
- Flanschlager

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated
- also available with plate PD (77x67 mm) and bolt hole LC (11 mm)
- attachment see chapter »Accessories«

### Wheel series 32Cb

- solid rubber tyre blue-grey (Shore A 80)
- sheet steel metal rim zinc passivated
- metal thread guard
- flange bearing

**DML** Lenkrolle / Swivel castor

**DMF** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

Möbelrollen  
Furniture castors

**Apparaterollen**  
Apparatus castors

Medizinisch-Technische Rollen  
Medical equipment castors

Transportgeräterollen  
Transport appliance castors

Edelstahlrollen  
Stainless steel castors

Schwerlastrollen  
Heavy duty castors

Bäckerrollen  
Bakery castors

Räder  
Wheels

Zubehör  
Accessories



<b>DML-21C-L10</b>	50	2x18	44	72	30	10	55	60		



<b>DMF-21C-L10</b>	50	2x18	44	72	30	10	87	60		



<b>DML-21C-P60</b>	50	2x18	44	72	30	60x60	6,2	38x38/48x48	55	60	



<b>DMF-21C-P60</b>	50	2x18	44	72	30	60x60	6,2	38x38/48x48	87	60	

### Technische Beschreibung

- Stahlblechgehäuse
- verzinkt-passiviert
- Schwenklager mit zweireihigem Kugellauf

### Radserie VIVAX-1C-Doppelrad für Serie DM,DS

- Doppelrad
- Polypropylen-Radkörper
- thermoplastische Bandage (TPE, Shore A 87)
- Fadenschutz
- Kugellager
- nicht ausöhlend

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated

### Wheel series VIVAX-1C-Doppelrad für Serie DM,DS

- double wheel
- TPE tread (Shore A 87)
- polypropylene wheel body
- thread guard
- ball bearing
- non-oiling

**DSL** Lenkrolle / Swivel castor

**DSF** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind



<b>DSL-31C-L10</b>	75	2x25	60	99	30	10	68	100		



<b>DSF-31C-L10</b>	75	2x25	60	99	30	10	99	100		



<b>DSL-31C-P77</b>	75	2x25	60	103	30	77x66	8,5	61x51/56x46	68	100				



<b>DSF-31C-P77</b>	75	2x25	60	103	30	77x66	8,5	61x51/56x46	99	100				

### Technische Beschreibung

- Stahlblechgehäuse
- verzinkt-passiviert
- Schwenklager mit zweireihigem Kugellauf

### Radserie VIVAX-1C-Doppelrad für Serie DM,DS

- Doppelrad
- Polypropylen-Radkörper
- thermoplastische Bandage (TPE, Shore A 87)
- Fadenschutz
- Kugellager
- nicht ausöhlend

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated

### Wheel series VIVAX-1C-Doppelrad für Serie DM,DS

- double wheel
- TPE tread (Shore A 87)
- polypropylene wheel body
- thread guard
- ball bearing
- non-oiling

**360a** Lenkrolle / Swivel castor

**360h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

Möbelrollen  
Furniture castors



<b>360a 00G050x ZPC</b>	50	2X20	73	25	60x60	6	46x46	60	
<b>360a 00G075x ZPC</b>	50	2X22	101	35	60x60	6	46x46	60	

Apparaterollen  
Apparatus castors



<b>360h 00G050x ZPC</b>	50	2X20	73	25	60x60	6	46x46	60	
<b>360h 00G075x ZPC</b>	50	2X22	101	35	60x60	6	46x46	60	

Medizinisch-Technische Rollen  
Medical equipment castors



<b>360a 00G050x ZLC</b>	50	2x20	73	25		10	60	
<b>360a 00G075x ZLC</b>	75	2x22	98,5	35		10	80	

Transportgeräterollen  
Transport appliance castors



<b>360h 00G050x ZLC</b>	50	2x20	73	25		10	60	
<b>360h 00G075x ZLC</b>	75	2x22	98,5	35		10	80	

Edelstahlrollen  
Stainless steel castors

Schwerlastrollen  
Heavy duty castors

Bäckerrollen  
Bakery castors

Räder  
Wheels

Zubehör  
Accessories

### Technische Beschreibung

- Stahlblechgehäuse
- verzinkt-passiviert
- Schwenklager mit zweireihigem Kugellauf

### Radserie 00Gx

- Polyamid schwarz
- Gleitlager

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated

### Wheel series 00Gx

- polyamide black
- plain bearing

**360a** Lenkrolle / Swivel castor

**360h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind



<b>360a 33C050b ZPC</b>	50	2x18	73	25	60x60	6	46x46	60	
<b>360a 33C075b ZPC</b>	75	2x22	101	35	60x60	6	46x46	80	



<b>360h 33C050b ZPC</b>	50	2x18	73	25	60x60	6	46x46	60	
<b>360h 33C075b ZPC</b>	75	2x22	101	35	60x60	6	46x46	80	



<b>360a 33C050b ZLC</b>	50	2x18	73	25		10	60	
<b>360a 33C075b ZLC</b>	75	2x22	98,5	35		10	80	



<b>360h 33C050b ZLC</b>	50	2x18	73	25		10	60	
<b>360h 33C075b ZLC</b>	75	2x22	98,5	35		10	80	

### Technische Beschreibung

- Stahlblechgehäuse
- verzinkt-passiviert
- Schwenklager mit zweireihigem Kugellauf

### Radserie 33Cb

- Vollgummireifen blaugrau (Shore A 80)
- Kunststoff-Radkörper grau
- Metall-Fadenschutz verzinkt-passiviert (ab Ø 75 mm)
- Flanschlager

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated

### Wheel series 33Cb

- solid rubber tyre blue-grey (Shore A 80)
- plastic wheel centre grey
- metal thread guard zinc-passivated (from Ø 75 mm)
- flange bearing

**360a** Lenkrolle / Swivel castor

**360h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

Möbelrollen  
Furniture castors



<b>360a 33G050b ZPC</b>	50	2x18	73	25	60x60	6	46x46	60	
<b>360a 33G075b ZPC</b>	50	2x24	101	35	60x60	6	46x46	80	

Apparaterollen  
Apparatus castors



<b>360h 33G050b ZPC</b>	50	2x18	73	25	60x60	6	46x46	60	
<b>360h 33G075b ZPC</b>	50	2x24	101	35	60x60	6	46x46	80	

Medizinisch-Technische Rollen  
Medical equipment castors



<b>360a 33G050b ZLC</b>	50	2x18	73	25		10		60	
<b>360a 33G075b ZLC</b>	75	2x18	98,5	35		10		80	

Transportgeräterollen  
Transport appliance castors



<b>360h 33G050b ZLC</b>	50	2x18	73	25		10		60	
<b>360h 33G075b ZLC</b>	75	2x18	98,5	35		10		80	

Edelstahlrollen  
Stainless steel castors

Schwerlastrollen  
Heavy duty castors

Bäckerrollen  
Bakery castors

Räder  
Wheels

Zubehör  
Accessories

### Technische Beschreibung

- Stahlblechgehäuse
- verzinkt-passiviert
- Schwenklager mit zweireihigem Kugellauf

### Radserie 33Gb

- Vollgummireifen blaugrau (Shore A 80)
- Kunststoff-Radkörper schwarz
- Gleitlager

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated

### Wheel series 33Gb

- solid rubber tyre blue-grey (Shore A 80)
- plastic wheel centre grey
- plain bearing



**361a** Lenkrolle / Swivel castor

**361b** Lenkrolle mit Radfeststeller / Swivel castor with wheel locking brake



<b>361a 33C075p ZPS</b>	75	2x23	102	28,5	55x70	5,5	51/57x41	100		



<b>361b 33C075p ZPS</b>	75	2x23	102	28,5	55x70	5,5	51/57x41	100		



<b>361a 34C075v GPS</b>	75	2x23	102	28,5	55x70	5,5	51/57x41	100		



<b>361b 34C075v GPS</b>	75	2x23	102	28,5	55x70	5,5	51/57x41	100		

### Technische Beschreibung

- Stahlblechgehäuse
- mit zweireihigem Kugellauf
- verzinkt-passiviert (361-ZPS)
- gelb-chromatiert (361-GPS)

### Radserie 33Cp

- Vollgummireifen blaugrau mit Profil (Shore A 80)
- Kunststoff-Radkörper grau
- Metall-Fadenschutz verzinkt-passiviert
- Flanschlager

### Radserie 34Cv

- Polyurethan-Bandage eisengrau RAL 7011 (Shore A 95)
- Kunststoff-Radkörper und Kunststoff-Fadenschutz silbergrau RAL 7001
- Kugellager

### Technical description

- sheet steel metal housing
- with double ball race
- zinc passivated (361-ZPS)
- yellow chrome plated (361-GPS)

### Wheel series 33Cp

- solid rubber tyre blue-grey with profile (Shore A 80)
- plastic wheel centre grey
- metal thread guard zinc-passivated
- flange bearing

### Wheel series 34Cv

- polyurethane tyre iron grey RAL 7011 (Shore A 95)
- plastic wheel centre and plastic thread guard silver grey RAL 7001
- ball bearing

## 362a Lenkrolle / Swivel castor

Möbelrollen  
Furniture castors

Apparaterollen  
Apparatus castors

Medizinisch-Technische Rollen  
Medical equipment castors

Transportgeräterollen  
Transport appliance castors

Edelstahlrollen  
Stainless steel castors

Schwerlastrollen  
Heavy duty castors

Bäckerrollen  
Bakery castors

Räder  
Wheels

Zubehör  
Accessories



<b>362a 33C075b ZLC</b>	75	23	100	30	10,2	55	



<b>362a 33G075b ZLC</b>	75	23	100	30	10,2	55	



<b>362a 29K100r ZLD</b>	100	30	130	37	12,2	100	
<b>362a 29K125r ZLD</b>	125	32	155	38	12,2	100	

### Technische Beschreibung

- Stahlblechgehäuse
- verzinkt-passiviert
- Schwenklager mit zweireihigem Kugellauf
- auf Anfrage auch mit Gewindestift (ZGI) und Flachzapfen (ZCS) lieferbar

### Radserie 33Fb

- Vollgummireifen blaugrau (Shore A 80)
- Kunststoff-Radkörper grau
- Metall-Fadenschutz verzinkt-passiviert (ab Ø 75 mm)
- Flanschlager

### Radserie 33Gb

- Vollgummireifen blaugrau (Shore A 80)
- Kunststoff-Radkörper schwarz
- Gleitlager

### Radserie 29Kr

- thermoplastische Elastomer-Bandage (TPE) eisengrau RAL 7011 (Shore A 80)
- Kunststoff-Radkörper und Kunststoff-Fadenschutz silbergrau RAL 7001
- Präzisionskugellager
- Kontaktverfärbung auf unversiegelten Böden möglich!

### Technical description

- sheet steel metal
- swivel bearing with double ball race
- zinc passivated
- also available with bolt hole LC (10,2 mm)
- on inquiry also available with threaded (ZGI) and flat stem (ZCS)

### Wheel series 33Fb

- solid rubber tyre blue-grey (Shore A 80)
- plastic wheel centre grey
- metal thread guard zinc-passivated (from Ø 75 mm)
- flange bearing

### Wheel series 33Gb

- solid rubber tyre blue-grey (Shore A 80)
- plastic wheel centre grey
- plain bearing

### Wheel series 29Kr

- thermoplastic elastomer tyre (TPE) iron grey RAL 7011 (Shore A 80)
- plastic wheel centre and thread guard silver grey RAL7001
- precision ball bearing
- Contact discoloration on unsealed grounds possible!

## 362a Lenkrolle / Swivel castor



<b>362a 32C100b ZLD</b>	100	30	130	37	12,2	80	
<b>362a 32C125b ZLD</b>	125	32	155	38	12,2	100	



<b>362a 36K125b ZLD</b>	125	32	155	38	12,2	100	

### Technische Beschreibung

- Stahlblechgehäuse
- verzinkt-passiviert
- Schwenklager mit zweireihigem Kugellauf
- auf Anfrage auch mit Gewindestift (ZGI) und Flachzapfen (ZCS) lieferbar

### Radserie 32Cb

- Vollgummireifen blaugrau (Shore A 80)
- Stahlblechfelge und Metall-Fadenschutz verzinkt-passiviert
- Flanschlager

### Radserie 36Kb

- Vollgummireifen eisengrau RAL 7011 (Shore A 80)
- Kunststoff-Radkörper
- und Kunststoff-Fadenschutz silbergrau RAL 7001
- Präzisionskugellager

### Technical description

- sheet steel metal
- swivel bearing with double ball race
- zinc passivated
- also available with bolt hole LC (10,2 mm)
- on inquiry also available with threaded (ZGI) and flat stem (ZCS)

### Wheel series 32Cb

- solid rubber tyre blue-grey (Shore A 80)
- sheet steel metal rim zinc passivated
- metal thread guard
- flange bearing

### Wheel series 36Kb

- solid rubber tyre iron-grey RAL 7011 (Shore A 80)
- plastic wheel centre and plastic thread guard silver grey RAL 7001
- precision ball bearing

**363b** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

**363b** Lenkrolle mit Radfeststeller / Swivel castor with wheel locking brake

Möbelrollen  
Furniture castors

Apparaterollen  
Apparatus castors

Medizinisch-Technische Rollen  
Medical equipment castors

Transportgeräterollen  
Transport appliance castors

Edelstahlrollen  
Stainless steel castors

Schwerlastrollen  
Heavy duty castors

Bäckerrollen  
Bakery castors

Räder  
Wheels

Zubehör  
Accessories



<b>363b 62C125v ZLD</b>	125	150	43	12,2	60	



<b>363b 810 7575-1</b>	125	150	43	12,2	60	



<b>363b68K125vZLD_B</b>	125	150	43	8	60	•

• Artikel auf Anfrage / product on request

### Technische Beschreibung

- Stahlblechgehäuse
- verzinkt-passiviert
- Schwenklager mit zweireihigem Kugellauf
- auch mit Rückenloch LC (10,2 mm) lieferbar
- auf Anfrage auch mit Gewindestift (ZGI) und Flachzapfen (ZCS) lieferbar

### Radserie 62Cv/68Kv

- Polyamid-Differentialrad mit Laufring aus Polyurethan
- schwarzer Hartgummi-Bremsring
- Kugellager

### Technical description

- sheet steel metal housing
- swivel bearing with double ball race
- zinc passivated
- also available with bolt hole LC (10,2 mm)
- on inquiry also available with threaded (ZGI) and flat stem (ZCS)

### Wheel series 62Cv/68Kv

- polyamid differential wheel with raceway of polyurethane
- black hard rubber brake ring
- ball bearing

**367a** Lenkrolle / Swivel castor

**367h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

**364a** Bockrolle / Fixed castor



<b>367a 29K080r ZPF</b>	80	30	117	43,5	95x70	9	75x45/72x52	100	
<b>367a 29K100r ZPF</b>	100	30	138	41,5	95x70	9	75x45/72x52	100	
<b>367a 29K125r ZPF</b>	125	32	162,5	43,5	95x70	9	75x45/72x52	100	
<b>367a 29K150r ZPF</b>	150	32	189	51	95x70	9	75x45/72x52	120	
<b>367a 29K200r ZPF</b>	200	32	241	61	95x70	9	75x45/72x52	120	
<b>367h 29K080r ZPF</b>	80	30	117	43,5	95x70	9	75x45/72x52	100	
<b>367h 29K100r ZPF</b>	100	30	138	41,5	95x70	9	75x45/72x52	100	
<b>367h 29K125r ZPF</b>	125	32	162,5	43,5	95x70	9	75x45/72x52	100	
<b>367h 29K150r ZPF</b>	150	32	189	51	95x70	9	75x45/72x52	120	
<b>367h 29K200r ZPF</b>	200	32	241	61	95x70	9	75x45/72x52	120	
<b>364a 29K080r ZPF</b>	80	30	117		95x70	9	75x45/72x52	100	
<b>364a 29K100r ZPF</b>	100	30	138		95x70	9	75x45/72x52	100	
<b>364a 29K125r ZPF</b>	125	32	162,5		95x70	9	75x45/72x52	100	
<b>364a 29K150r ZPF</b>	150	32	189		95x70	9	75x45/72x52	120	
<b>364a 29K200r ZPF</b>	200	32	241		95x70	9	75x45/72x52	120	

### Technische Beschreibung

- Stahlblechgehäuse
- verzinkt-passiviert
- Schwenklager mit zweireihigem Kugellauf
- staub- und spritzwassergeschützt durch Kunststoff-Dichtring
- auch mit Platte PD (77x67 mm) und Rückenloch LC (10,2 mm) lieferbar

### Radserie 29Kr

- thermoplastische Elastomer-Bandage (TPE) eisengrau RAL 7011 (Shore A 80)
- Kunststoff-Radkörper und Kunststoff-Fadenschutz silbergrau RAL 7001
- Präzisionskugellager
- Kontaktverfärbung auf unversiegelten Böden möglich!

### Technical description

- sheet steel metal housing
- zinc passivated
- swivel bearing with double ball race
- protected from dust and water spray with plastic seal
- also available with plate PD (77x67 mm)
- also available with bolt hole LC (10,2 mm)

### Wheel series 29Kr

- thermoplastic elastomer tyre (TPE) iron grey RAL 7011 (Shore A 80)
- plastic wheel centre and thread guard silver grey RAL7001
- precision ball bearing
- Contact discoloration on unsealed grounds possible!

**367a** Lenkrolle / Swivel castor

**367h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

Möbelrollen  
Furniture castors

**Apparaterollen**  
Apparatus castors

Medizinisch-Technische Rollen  
Medical equipment castors

Transportgeräterollen  
Transport appliance castors

Edelstahlrollen  
Stainless steel castors

Schwerlastrollen  
Heavy duty castors

Bäckerrollen  
Bakery castors

Räder  
Wheels

Zubehör  
Accessories



<b>367a 29K080r ZLD</b>	80	30	110	43,5	12,2	100	
<b>367a 29K100r ZLD</b>	100	30	131	41,5	12,2	100	
<b>367a 29K125r ZLD</b>	125	32	155,5	43,5	12,2	100	
<b>367a 29K150r ZLD</b>	150	32	182	51	12,2	120	
<b>367a 29K200r ZLD</b>	200	32	234	61	12,2	120	
<b>367h 29K080r ZLD</b>	80	30	110	43,5	12,2	100	
<b>367h 29K100r ZLD</b>	100	30	131	41,5	12,2	100	
<b>367h 29K125r ZLD</b>	125	32	155,5	43,5	12,2	100	
<b>367h 29K150r ZLD</b>	150	32	182	51	12,2	120	
<b>367h 29K200r ZLD</b>	200	32	234	61	12,2	120	

### Technische Beschreibung

- Stahlblechgehäuse
- verzinkt-passiviert
- Schwenklager mit zweireihigem Kugellauf
- staub- und spritzwassergeschützt durch Kunststoff-Dichtring
- auch mit Platte PD (77x67 mm) und Rückenloch LC (10,2 mm) lieferbar

### Radserie 29Kr

- thermoplastische Elastomer-Bandage (TPE) eisengrau RAL 7011 (Shore A 80)
- Kunststoff-Radkörper und Kunststoff-Fadenschutz silbergrau RAL 7001
- Präzisionskugellager
- Kontaktverfärbung auf unversiegelten Böden möglich!

### Technical description

- sheet steel metal housing
- zinc passivated
- swivel bearing with double ball race
- protected from dust and water spray with plastic seal
- also available with plate PD (77x67 mm)
- also available with bolt hole LC (10,2 mm)














### Wheel series 29Kr

- thermoplastic elastomer tyre (TPE) iron grey RAL 7011 (Shore A 80)
- plastic wheel centre and thread guard silver grey RAL7001
- precision ball bearing
- Contact discoloration on unsealed grounds possible!

**367a** Lenkrolle / Swivel castor

**367h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind



							
<b>367a 29K080r Z522</b>	80	30	112	43,5	24x45 M8/19	100	
<b>367a 29K100r Z522</b>	100	30	133	41,5	24x45 M8/19	100	
<b>367a 29K125r Z522</b>	125	32	157,5	43,5	24x45 M8/19	100	
<b>367a 29K150r Z522</b>	150	32	184	51	24x45 M8/19	120	
<b>367a 29K200r Z522</b>	200	32	236	61	24x45 M8/19	120	
							
<b>367h 29K080r Z522</b>	80	30	112	43,5	24x45 M8/19	100	
<b>367h 29K100r Z522</b>	100	30	133	41,5	24x45 M8/19	100	
<b>367h 29K125r Z522</b>	125	32	157,5	43,5	24x45 M8/19	100	
<b>367h 29K150r Z522</b>	150	32	184	51	24x45 M8/19	120	
<b>367h 29K200r Z522</b>	200	32	236	61,01	24x45 M8/19	120	

### Technische Beschreibung

- Stahlblechgehäuse
- verzinkt-passiviert
- Schwenklager mit zweireihigem Kugellauf
- staub- und spritzwassergeschützt durch Kunststoff-Dichtring
- auch mit Platte PD (77x67 mm) und Rückenloch LC (10,2 mm) lieferbar
- auf Anfrage auch verfügbar mit Zapfen Z622 (28x45 mm)
- Befestigung siehe Kapitel »Zubehör«

### Radserie 29Kr

- thermoplastische Elastomer-Bandage (TPE) eisengrau RAL 7011 (Shore A 80)
- Kunststoff-Radkörper und Kunststoff-Fadenschutz silbergrau RAL 7001
- Präzisionskugellager
- Kontaktverfärbung auf unversiegelten Böden möglich!

### Technical description

- sheet steel metal housing
- zinc passivated
- swivel bearing with double ball race
- protected from dust and water spray with plastic seal
- also available with plate PD (77x67 mm)
- also available with bolt hole LC (10,2 mm)
- on inquiry also available with fixing stem Z622 (28x45 mm)
- attachment see chapter »Accessories«

### Wheel series 29Kr

- thermoplastic elastomer tyre (TPE) iron grey RAL 7011 (Shore A 80)
- plastic wheel centre and thread guard silver grey RAL7001
- precision ball bearing
- Contact discoloration on unsealed grounds possible!

**367a** Lenkrolle / Swivel castor

**367h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind



<b>367a 29K080r ZR</b>	80	30	111	43,5	100	
<b>367a 29K100r ZR</b>	100	30	132	41,5	100	
<b>367a 29K125r ZR</b>	125	32	156,5	43,5	100	
<b>367a 29K150r ZR</b>	150	32	183	51	120	
<b>367a 29K200r ZR</b>	200	32	235	61	120	
<b>367h 29K080r ZR</b>	80	30	111	43,5	100	
<b>367h 29K100r ZR</b>	100	30	132	41,5	100	
<b>367h 29K125r ZR</b>	125	32	156,5	43,5	100	
<b>367h 29K150r ZR</b>	150	32	183	51	120	
<b>367h 29K200r ZR</b>	200	32	235	61	120	

Möbelrollen  
Furniture castors

**Apparaterollen**  
**Apparatus castors**

Medizinisch-Technische Rollen  
Medical equipment castors

Transportgeräterollen  
Transport appliance castors

Edelstahlrollen  
Stainless steel castors

Schwerlastrollen  
Heavy duty castors

Bäckerrollen  
Bakery castors

Räder  
Wheels

Zubehör  
Accessories

### Technische Beschreibung

- Stahlblechgehäuse
- verzinkt-passiviert
- Schwenklager mit zweireihigem Kugellauf
- staub- und spritzwassergeschützt durch Kunststoff-Dichtring
- auch mit Platte PD (77x67 mm) und Rückenloch LC (10,2 mm) lieferbar
- Befestigung siehe Kapitel »Zubehör«

### Radserie 29Kr

- thermoplastische Elastomer-Bandage (TPE) eisengrau RAL 7011 (Shore A 80)
- Kunststoff-Radkörper und Kunststoff-Fadenschutz silbergrau RAL 7001
- Präzisionskugellager
- Kontaktverfärbung auf unversiegelten Böden möglich!

### Technical description

- sheet steel metal housing
- zinc passivated
- swivel bearing with double ball race
- protected from dust and water spray with plastic seal
- also available with plate PD (77x67 mm)
- also available with bolt hole LC (10,2 mm)
- attachment see chapter »Accessories«

### Wheel series 29Kr

- thermoplastic elastomer tyre (TPE) iron grey RAL 7011 (Shore A 80)
- plastic wheel centre and thread guard silver grey RAL7001
- precision ball bearing
- Contact discoloration on unsealed grounds possible!



**367a** Lenkrolle / Swivel castor

**367h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

**364a** Bockrolle / Fixed castor



<b>367a 29G100r ZPF</b>	100	30	138	41,5	95x70	9	75x45/72x52	100	
<b>367a 29G125r ZPF</b>	125	30	162,5	43,5	95x70	9	75x45/72x52	100	



<b>367h 29G100r ZPF</b>	100	30	138	41,5	95x70	9	75x45/72x52	100	
<b>367h 29G125r ZPF</b>	125	30	162,5	43,5	95x70	9	75x45/72x52	100	



<b>364a 29G100r ZPF</b>	100	30	138		95x70	9	75x45/72x52	100	
<b>364a 29G125r ZPF</b>	125	30	162,5		95x70	9	75x45/72x52	100	

### Technische Beschreibung

- Stahlblechgehäuse
- verzinkt-passiviert
- Schwenklager mit zweireihigem Kugellauf
- staub- und spritzwassergeschützt durch Kunststoff-Dichtring
- auch mit Platte PD (77x67 mm) und Rückenloch LC (10,2 mm) lieferbar

### Radserie 29Gr

- thermoplastische Elastomer-Bandage (TPE), eisengrau RAL 7011 (Shore A 80)
- Kunststoff-Radkörper silbergrau RAL 7001 ohne Fadenschutz
- Gleitlager
- Kontaktverfärbung auf unversiegelten Böden möglich!

### Technical description

- sheet steel metal housing
- zinc passivated
- swivel bearing with double ball race
- protected from dust and water spray with plastic seal
- also available with plate PD (77x67 mm)
- also available with bolt hole LC (10,2 mm)

### Wheel series 29Gr

- thermoplastic elastomer tyre (TPE) iron grey RAL 7011 (Shore A 80)
- plastic wheel centre silver grey RAL7001
- without thread guard
- plain bearing
- Contact discoloration on unsealed grounds possible!

**367a** Lenkrolle / Swivel castor

**367h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

Möbelrollen  
Furniture castors

Apparaterollen  
Apparatus castors

Medizinisch-Technische Rollen  
Medical equipment castors

Transportgeräterollen  
Transport appliance castors

Edelstahlrollen  
Stainless steel castors

Schwerlastrollen  
Heavy duty castors

Bäckerrollen  
Bakery castors

Räder  
Wheels

Zubehör  
Accessories



<b>367a 29G100r ZLD</b>	100	30	131	41,5	12,2	100	
<b>367a 29G125r ZLD</b>	125	30	155,5	43,5	12,2	100	



<b>367h 29G100r ZLD</b>	100	30	131	41,5	12,2	100	
<b>367h 29G125r ZLD</b>	125	30	155,5	43,5	12,2	100	



<b>367a 29G100r Z522</b>	100	30	133	41,5	24x45 M8/19	100	
<b>367a 29G125r Z522</b>	125	30	157,5	43,5	24x45 M8/19	100	



<b>367h 29G100r Z522</b>	100	30	133	41,5	24x45 M8/19	100	
<b>367h 29G125r Z522</b>	125	30	157,5	43,5	24x45 M8/19	100	

### Technische Beschreibung

- Stahlblechgehäuse
- verzinkt-passiviert
- Schwenklager mit zweireihigem Kugellauf
- staub- und spritzwassergeschützt durch Kunststoff-Dichtring
- auch mit Platte PD (77x67 mm) und Rückenloch LC (10,2 mm) lieferbar

### Radserie 29Gr

- thermoplastische Elastomer-Bandage (TPE), eisengrau RAL 7011 (Shore A 80)
- Kunststoff-Radkörper silbergrau RAL 7001 ohne Fadenschutz
- Gleitlager
- Kontaktverfärbung auf unversiegelten Böden möglich!

### Technical description

- sheet steel metal housing
- zinc passivated
- swivel bearing with double ball race
- protected from dust and water spray with plastic seal
- also available with plate PD (77x67 mm)
- also available with bolt hole LC (10,2 mm)







### Wheel series 29Gr

- thermoplastic elastomer tyre (TPE) iron grey RAL 7011 (Shore A 80)
- plastic wheel centre silver grey RAL7001
- without thread guard
- plain bearing
- Contact discoloration on unsealed grounds possible!







**367a** Lenkrolle / Swivel castor

**367h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind



						
<b>367a 29G100r ZR</b>	100	30	132	41,5	100	
<b>367a 29G125r ZR</b>	125	30	156,5	43,5	100	



						
<b>367h 29G100r ZR</b>	100	30	132	41,5	100	
<b>367h 29G125r ZR</b>	125	30	156,5	43,5	100	

### Technische Beschreibung

- Stahlblechgehäuse
- verzinkt-passiviert
- Schwenklager mit zweireihigem Kugellauf
- staub- und spritzwassergeschützt durch Kunststoff-Dichtring
- auch mit Platte PD (77x67 mm) und Rückenloch LC (10,2 mm) lieferbar
- Befestigung siehe Kapitel »Zubehör«

### Radserie 29Gr

- thermoplastische Elastomer-Bandage (TPE), eisengrau RAL 7011 (Shore A 80)
- Kunststoff-Radkörper silbergrau RAL 7001 ohne Fadenschutz
- Gleitlager
- Kontaktverfärbung auf unversiegelten Böden möglich!

### Technical description

- sheet steel metal housing
- zinc passivated
- swivel bearing with double ball race
- protected from dust and water spray with plastic seal
- also available with plate PD (77x67 mm)
- also available with bolt hole LC (10,2 mm)
- attachment see chapter »Accessories«

### Wheel series 29Gr

- thermoplastic elastomer tyre (TPE) iron grey RAL 7011 (Shore A 80)
- plastic wheel centre silver grey RAL7001
- without thread guard
- plain bearing
- Contact discoloration on unsealed grounds possible!

**367a** Lenkrolle / Swivel castor

**367h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

**364a** Bockrolle / Fixed castor



<b>367a 32C080b ZPF</b>	80	30	117	43,5	95x70	9	75x45/72x52	80	
<b>367a 32C100b ZPF</b>	100	32	138	41,5	95x70	9	75x45/72x52	80	
<b>367a 32C125b ZPF</b>	125	32	162,5	43,5	95x70	9	75x45/72x52	100	
<b>367a 32C150b ZPF</b>	150	32	189	51	95x70	9	75x45/72x52	110	
<b>367a 32C200b ZPF</b>	200	32	241	61	95x70	9	75x45/72x52	120	
<b>367h 32C080b ZPF</b>	80	30	117	43,5	95x70	9	75x45/72x52	80	
<b>367h 32C100b ZPF</b>	100	32	138	41,5	95x70	9	75x45/72x52	80	
<b>367h 32C125b ZPF</b>	125	32	162,5	43,5	95x70	9	75x45/72x52	100	
<b>367h 32C150b ZPF</b>	150	32	189	51	95x70	9	75x45/72x52	110	
<b>367h 32C200b ZPF</b>	200	32	241	61	95x70	9	75x45/72x52	110	
<b>364a 32C080b ZPF</b>	80	30	117		95x70	9	75x45/72x52	80	
<b>364a 32C100b ZPF</b>	100	32	138		95x70	9	75x45/72x52	80	
<b>364a 32C125b ZPF</b>	125	32	162,5		95x70	9	75x45/72x52	100	
<b>364a 32C150b ZPF</b>	150	32	189		95x70	9	75x45/72x52	110	
<b>364a 32C200b ZPF</b>	200	32	241		95x70	9	75x45/72x52	120	

### Technische Beschreibung

- Stahlblechgehäuse
- verzinkt-passiviert
- Schwenklager mit zweireihigem Kugellauf
- staub- und spritzwassergeschützt durch Kunststoff-Dichtring
- auch mit Platte PD (77x67 mm) und Rückenloch LC (10,2 mm) lieferbar

### Radserie 32Cb

- Vollgummireifen blaugrau (Shore A 80)
- Stahlblechfelge und Metall-Fadenschutz verzinkt-passiviert
- Flanschlager

### Technical description

- sheet steel metal housing
- zinc passivated
- swivel bearing with double ball race
- protected from dust and water spray with plastic seal
- also available with plate PD (77x67 mm)
- also available with bolt hole LC (10,2 mm)

### Wheel series 32Cb















- solid rubber tyre blue-grey (Shore A 80)
- sheet steel metal rim zinc passivated
- metal thread guard
- flange bearing

Möbelrollen / Furniture castors  
**Apparaterollen** / Apparatus castors  
 Medizinisch-Technische Rollen / Medical equipment castors  
 Transportgeräterollen / Transport appliance castors  
 Edelstahlrollen / Stainless steel castors  
 Schwerlastrollen / Heavy duty castors  
 Backerrollen / Bakery castors  
 Räder / Wheels  
 Zubehör / Accessories

**367a** Lenkrolle / Swivel castor

**367h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind



							
<b>367a 32C080b ZLD</b>	80	30	110	43,5	12,2	80	
<b>367a 32C100b ZLD</b>	100	30	131	41,5	12,2	80	
<b>367a 32C125b ZLD</b>	125	32	155,5	43,5	12,2	100	
<b>367a 32C150b ZLD</b>	150	32	182	51	12,2	110	
<b>367a 32C200b ZLD</b>	200	32	234	61	12,2	120	
							
<b>367h 32C080b ZLD</b>	80	30	110	43,5	12,2	80	
<b>367h 32C100b ZLD</b>	100	30	131	41,5	12,2	80	
<b>367h 32C125b ZLD</b>	125	32	155,5	43,5	12,2	100	
<b>367h 32C150b ZLD</b>	150	32	182	51	12,2	110	
<b>367h 32C200b ZLD</b>	200	32	234	61	12,2	120	

### Technische Beschreibung

- Stahlblechgehäuse
- verzinkt-passiviert
- Schwenklager mit zweireihigem Kugellauf
- staub- und spritzwassergeschützt durch Kunststoff-Dichtring
- auch mit Platte PD (77x67 mm) und Rückenloch LC (10,2 mm) lieferbar

### Radserie 32Cb

- Vollgummireifen blaugrau (Shore A 80)
- Stahlblechfelge und Metall-Fadenschutz verzinkt-passiviert
- Flanschlager

### Technical description

- sheet steel metal housing
- zinc passivated
- swivel bearing with double ball race
- protected from dust and water spray with plastic seal
- also available with plate PD (77x67 mm)
- also available with bolt hole LC (10,2 mm)

### Wheel series 32Cb

- solid rubber tyre blue-grey (Shore A 80)
- sheet steel metal rim zinc passivated
- metal thread guard
- flange bearing

**367a** Lenkrolle / Swivel castor

**367h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind

Möbelrollen  
Furniture castors

**Apparaterollen**  
Apparatus castors

Medizinisch-Technische Rollen  
Medical equipment castors

Transportgeräterollen  
Transport appliance castors

Edelstahlrollen  
Stainless steel castors

Schwerlastrollen  
Heavy duty castors

Bäckerrollen  
Bakery castors

Räder  
Wheels

Zubehör  
Accessories



<b>367a 32C080b Z522</b>	80	30	112	43,5	24x45 M8/19	80	
<b>367a 32C100b Z522</b>	100	30	133	41,5	24x45 M8/19	80	
<b>367a 32C125b Z522</b>	125	32	157,5	43,5	24x45 M8/19	100	
<b>367a 32C150b Z522</b>	150	32	184	51	24x45 M8/19	110	
<b>367a 32C200b Z522</b>	200	32	236	61	24x45 M8/19	120	
<b>367h 32C080b Z522</b>	80	30	112	43,5	24x45 M8/19	80	
<b>367h 32C100b Z522</b>	100	30	133	41,5	24x45 M8/19	80	
<b>367h 32C125b Z522</b>	125	32	157,5	43,5	24x45 M8/19	100	
<b>367h 32C150b Z522</b>	150	32	184	51	24x45 M8/19	110	
<b>367h 32C200b Z522</b>	200	32	236	61	24x45 M8/19	120	

### Technische Beschreibung

- Stahlblechgehäuse
- verzinkt-passiviert
- Schwenklager mit zweireihigem Kugellauf
- staub- und spritzwassergeschützt durch Kunststoff-Dichtring
- auch mit Platte PD (77x67 mm) und Rückenloch LC (10,2 mm) lieferbar
- auf Anfrage auch verfügbar mit Zapfen Z622 (28x45 mm)
- Befestigung siehe Kapitel »Zubehör«

### Radserie 32Cb

- Vollgummireifen blaugrau (Shore A 80)
- Stahlblechfelge und Metall-Fadenschutz verzinkt-passiviert
- Flanschlager

### Technical description

- sheet steel metal housing
- zinc passivated
- swivel bearing with double ball race
- protected from dust and water spray with plastic seal
- also available with plate PD (77x67 mm)
- also available with bolt hole LC (10,2 mm)
- on inquiry also available with fixing stem Z622 (28x45 mm)
- attachment see chapter »Accessories«













### Wheel series 32Cb

- solid rubber tyre blue-grey (Shore A 80)
- sheet steel metal rim zinc passivated
- metal thread guard
- flange bearing

**367a** Lenkrolle / Swivel castor

**367h** Lenkrolle mit Totalfeststeller nachlaufend / Swivel castor with total brake mounted behind



						
<b>367a 32C080b ZR</b>	80	30	111	43,5	80	
<b>367a 32C100b ZR</b>	100	30	132	41,5	80	
<b>367a 32C125b ZR</b>	125	32	156,5	43,5	100	
<b>367a 32C150b ZR</b>	150	32	183	51	110	
<b>367a 32C200b ZR</b>	200	32	235	61	120	
						
<b>367h 32C080b ZR</b>	80	30	111	43,5	80	
<b>367h 32C100b ZR</b>	100	30	132	41,5	80	
<b>367h 32C125b ZR</b>	125	32	156,5	43,5	100	
<b>367h 32C150b ZR</b>	150	32	183	51	110	
<b>367h 32C200b ZR</b>	200	32	235	61	120	

### Technische Beschreibung

- Stahlblechgehäuse
- verzinkt-passiviert
- Schwenklager mit zweireihigem Kugellauf
- staub- und spritzwassergeschützt durch Kunststoff-Dichtring
- auch mit Platte PD (77x67 mm) und Rückenloch LC (10,2 mm) lieferbar
- Befestigung siehe Kapitel »Zubehör«

### Radserie 32Cb

- Vollgummireifen blaugrau (Shore A 80)
- Stahlblechfelge und Metall-Fadenschutz verzinkt-passiviert
- Flanschlager

### Technical description

- sheet steel metal housing
- zinc passivated
- swivel bearing with double ball race
- protected from dust and water spray with plastic seal
- also available with plate PD (77x67 mm)
- also available with bolt hole LC (10,2 mm)
- attachment see chapter »Accessories«

### Wheel series 32Cb

- solid rubber tyre blue-grey (Shore A 80)
- sheet steel metal rim zinc passivated
- metal thread guard
- flange bearing